Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

#46, Gamgamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore - 03.

Ref. :.....

Date :..12/03/24.....

REPORT ON GROUND WATER INVESTIGATION

Name AEE BBMP YELAHANKA

Address Ward no-201

Location 3rd Cross Akash Vihar Layout

Topography Normal

Soil Type Red Soil

Rock Type White

Depth 150ft

Casing 350

Yield 6

Aqufers 2 ½"

Remarks –

Note : The Survey was carries out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ...

Asst. Executive Engineer
Yelahanka Sub. Divison
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Samrudhi Ground Water Consultant
46, Gamgamma Temple Street,
Near Gangamma Temple,
Malleshwaram, Bangalore
Smt. Kavitha Singh
Water Diviner

...nsultants@gmail.com

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

BOREWELL COMPLETION REPORT

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

Mobile : +91 9342202932 / 9343202932

No. : 1137

Date : 15/03/24

1. Customer's Name and Address with Telephone No. : Assistant Executive Engineer Yelahanka. Satelite Town Sub Division BBMP Blore-64

2. Well Location : 3rd Cross Akash Vihar Layout

3. Total Well Depth / Drilled in Ft. : 1400 -1500

4. Casing Erected in Ft. : 300 - 350

5. Water Struck at the Depth of : 1500

6. Total Yield (Measuring method "V" Norch : 6 " / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear

8. At the Depth of : 1500

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

Party's Signature

Asst. Executive Engineer
Yelahanka Sub. Divison
(BBMP Pnk. Zn)
Yelahanka, Bangalore

For VINAYAKA ENTERPRISES

Manager / Proprietor

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

#46, Gamgamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore - 03.

Ref. :.....

Date :....12/03/24.....

REPORT ON GROUND WATER INVESTIGATION

Name AEE BBMP Yelahanka

Address Hard no - 01

Location Burial Ground, Srinivasapura, YNK

Topography Normal

Soil Type Red

Rock Type Schist

Depth 1250

Casing 300

Yield 6"

Aqufers 2"

Remarks —

Note : The Survey was carries out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... **ನಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ...**

Asst. Executive Engineer
Yelahanka Sub. Divison
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Samrudhi Ground Water Consultant
46, Gamgamma Temple Street,
Near Gangamma Temple
Malleshwaram, Bangalore - 03

Smt. Kavitha Singh
Water Diviner

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

BOREWELL COMPLETION REPORT

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

Mobile : +91 9342202932 / 9343202932

No. : 1131

Date : 25/03/24

1. Customer's Name and Address with Telephone No. : Assistant Executive Engineer Yelahanka Satellite town Sub Division BBMP Bldg -64

2. Well Location : Burrial Ground, Srinivasapura. Ynk

3. Total Well Depth / Drilled in Ft. : 1250

4. Casing Erected in Ft. : 300

5. Water Struck at the Depth of : 1250

6. Total Yield (Measuring method "V" Norch : 6" / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear

8. At the Depth of : 1250

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report. I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

Asst. Executive Engineer
Yelahanka Sub. Divisor
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Party's Signature

For VINAYAKA ENTERPRISES

Manager / Proprietor

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

#46, Gamgamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore - 03.

Ref. :.....

Date :.....12/03/24.....

REPORT ON GROUND WATER INVESTIGATION

Name AEE BBMP YELAHANKA

Address Ward no -02 01

Location KEB Layout HAROHALLI Rajankunte Yelahanka

Topography Normal

Soil Type Red

Rock Type Black

Depth 1400

Casing 250 - 300

Yield 6"

Aqufers 2 1/2"

Remarks -

Note : The Survey was carries out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it...ನೀರನ್ನು ಉಳಿಸಿ, ಮರಗಳನ್ನು ಬೆಳೆಸಿ...

Asst. Executive Engineer
Yelahanka Sub Divison
(BBMP Yhk. Zn)
Yelahanka, Bangalore

Samrudhi Ground Water Consultant
#46, Gamgamma Temple Street,
Near Gangamma Temple,
Malleshwaram, Bangalore - 03.
Smt. Kavitha Singh
Water Diviner

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

BOREWELL COMPLETION REPORT

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

Mobile : +91 9342202932 / 9343202932

o. : 1126

Date : 15/04/24

1. Customer's Name and Address with Telephone No. : Assistant Executive Engineer Yelahanka Satellite Town Sub Division BBMP Bloreagy

2. Well Location : KEB layout Harohalli Rajakunte YNK

3. Total Well Depth / Drilled in Ft. : 1400

4. Casing Erected in Ft. : 250 -300

5. Water Struck at the Depth of : 1400

6. Total Yield (Measuring method "V" Norch : 6" / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear

8. At the Depth of : 1400

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Yelahanka Sub Division
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Manager / Proprietor

N CA

...nbe	172205389347
...te	29-05-2024 10:58:40
...ter	BESCOM - C7 Regular Counter HRT
...ount ID	1729599103
...me	AEE BBMP
...ber	
...yment	Rs19,100.00
...ng GST If Applicable)	
...pay	Draft
... DD No	073735
ID 56001 2105	
...Name	BANK OF BARODA
...D 2024-0[illegible]-27	
...ose	Deposits

Revenue c. tegory 2MMD-FEE

...teen Thous nd One Hundred Rupees Only

—— THAN . YOU ———

...ity Supply Company Limited

...82/18-05-2024

...412G1Z5

Office of
Assistant Executive Engineer
C7 YALAHANKA
BESCOM
DATE: 18-05-2024

To,
AEE BBMP,
3RD CROSS ROAD AKASH VIHAR LAYOUT HAROHALLI RAJANKUNTE YNK

BANGALORE KARNATAKA
560064

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:991172983865 Dated: 07-05-2024
2) Account ID : 1729599103
3) Prevailing KERC regulations.

With reference to your Application No. **991172983865 Dated: 07-05-2024**, power supply to an extent of **0 KW** and **15 HP** on Account ID **1729599103** under LT basis, is hereby sanctioned, subject to the foliowing:

1. Details of your building/premises:

   a. **Plinth area:**

Ph: 9591 ...; Email: civilaimconsultants@gmail.com

2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	1
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	100
		100

b. Total height of the building above ground level in m: **3.3**

2. The **PROPOSED** Sanctioned Load of your building is **11.19 KW**

Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	**0 KW and 15 HP**
3	Total Load	**11.19 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) C7 YALAHANKA, BESCOM** within 30 days from the date this letter:

Sl. No.	Particulars	Amount	CGST	SGST	Total Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **15 HP**) installation	₹19100.00	₹0.00	₹0.00	₹19100.00
2.	MSD Amount	₹0.00	₹0.00	₹0.00	₹0.00
3.	Infrastructure Charges	₹0.00	₹0.00	₹0.00	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00	₹0.00	₹0.00	₹0.00
5.	Additional Development /Service Line Charges	₹0.00	₹0.00	₹0.00	₹0.00
	Total				₹19100.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 440V

4. The Power Tariff applicable to your proposed installation will be **1LT6A** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

   a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to 0 KVA of the TC located at

c) After erecting new 0 KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. **BESCOM** approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. **BESCOM** reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance.

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C7 YALAHANKA

BESCOM

Account ID : 1729599103

Consumer Name : AEE BBMP

Original for Recipient White Copy
Duplicate for Transporter Pink Copy
Triplicate for Supplier Yellow Copy

TAX INVOICE

HPL Electric & Power Ltd.

Bangalore Office : No. 2 D, IInd Floor, Farah Winsford
No. 133, Infantry Road, Bangalore - 560 001.
Ph.: 22863068, 22863069
E-mail : bangalore@hplindia.com

Branch Office :
C/o Executive Engineer,
O&M Division, Hebbal,
Bangalore – 560064

Bill No. HBL/ 15537

Name : AEE BJMP.

Address: Naidu Co.
Akash vihar Co Hanchai
3rd Cs Rd
M

3rd Cross Road
Akash vihar
Layout

BRJN Hebbal

DATE: 03/06/24.

TIN : 29190593887

CIN NO. :

GST No.: 29AAACH0165J1ZM

Sl. No.	Description	Quantity	Unit Price in Rs.	Value Amount Rs.	Ps.
	3m 8649900	01	2059.-	2059.-	
	Name of Company BESCOM Dvn: C.r W.O. No. F. 16063 Date: 31/05/24		S. GST @ 9%	185.-	
			C. GST @ 9%	185.-	
			GRAND TOTAL	2430.-	

E.&O.E.

For **HPL Electric & Power Ltd.**

Corporate Office :
1/21, Asaf Ali Road, New Delhi - 110 002, Ph : + 91 - 011 23234411 23236811, 23234811
Fax : 91-011-23232639 E-mail : hpl@hplindia.com, Website : www.hplindia.com

Asst. Executive Engineer
Yelahanka Sub. Divison
(BBMP Ynk. Zn)
Yelahanka, Bangalore

No. 40, Gamgamma Temple Street
Near Gangamma Temple
Malleshwaram, Bangalore

,NAGARA
mber645791126709
ate29-05-2024 14:33:12
nterBESCOM - C8 SDO Cash Counter
ccount ID6456435588
NameAEE BBMP
mber
l PaymentRs19,100.00
cluding GST, If Applicable)
de of payDraft
heque /DD No073729
MICR ID560012105
Bank NameB O B
(chqDt)2024-05-27
PurposeDeposits
Non Revenue category2MMD-FEE
Nineteen Thousand One Hundred Rupees Only

---------- THANK YOU ----------
5/29/24 2:37 PM
kescom kescom.org:7805/ouaf/usermap?lan

icity Supply Company Limited

)3880/16-05-2024

31412G1Z5

Office of
Assistant Executive Engineer
C8 SAHAKARANAGARA
BESCOM
DATE: 16-05-2024

YELAHANKA

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: **1) Application No:261841375471 Dated: 07-05-2024**

2) Account ID : 0432470335

3) Prevailing KERC regulations.

With reference to your Application No. **261841375471 Dated: 07-05-2024**, power supply to an extent of **0** KW and **15 HP** on Account ID **0432470335** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **11.19 KW**

Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	**0 KW and 15 HP**
3	Total Load	**11.19 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) C8 SAHAKARANAGARA, BESCOM** within 30 days from date of this letter:

Sl. No.	Particulars	Amount	CGST	SGST	Total Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **15 HP**) installation	₹19100.00	₹0.00	₹0.00	₹19100.00
2.	MSD Amount	₹0.00	₹0.00	₹0.00	₹0.00
3.	Infrastructure Charges	₹0.00	₹0.00	₹0.00	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00	₹0.00	₹0.00	₹0.00
5.	Additional Development /Service Line Charges	₹0.00	₹0.00	₹0.00	₹0.00
Total					₹19100.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 440V

4. The Power Tariff applicable to your proposed installation will be **1LT6A** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to 0 KVA of the TC located at

c) After erecting new 0 KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. **BESCOM** approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. **BESCOM** reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance.

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C8 SAHAKARANAGARA

BESCOM

Account ID : 0432470335

Consumer Name : AEE BBMP

Original for Recipient White Co
Duplicate for Transporter Pink
Triplicate for Supplier Yellow Co

TAX INVOICE

HPL Electric & Power Ltd.

Bangalore Office : No. 2 D, IInd Floor, Farah Winsford
No. 133, Infantry Road, Bangalore - 560 001.
Ph.: 22863068, 22863069
E-mail : bangalore@hplindia.com

Branch Office :
C/o Executive Engineer,
O&M Division, Hebbal,
Bangalore – 560064

15530

Bill No. HBL/

Name : AEE BBMP.

Address: Burrica Ground
Srinivasapura.
Yelahanka

BRJN	Hebbal
DATE:	03/06/24
TIN :	29190593887
CIN NO. :	
GST No.:	29AAACH0165J1ZM

Sl. No.	Description	Quantity	Unit Price in Rs.	Value Amount Rs.	Ps.
	3" 8649559	01	2059.-	2059.	-
	Name of Company BESCOM Dvn: CD W.O. No. F.20364 Date: 29/05/24		S. GST @ 9%	185.	-
			C. GST @ 9%	185.	-
			GRAND TOTAL	2430.	-

E.&O.E.

For **HPL Electric & Power Ltd.**

Corporate Office :
1/21, Asaf Ali Road, New Delhi - 110 002, Ph : + 91 - 011 23234411 23236811, 23234811
Fax : 91-011-23232639 E-mail : hpl@hplindia.com, Website : www.hplindia.com

Asst. Executive Engineer
Yelahanka Sub Divison
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Water Consultant
Near Gangamma Temple,
Maheshwaram, Bangalore - 03
Smt. Kavitha Singh
Water Diviner

Original for Recipient White
Duplicate for Transporter Pi
Triplicate for Supplier Yellow

9889591121 22
29-05-2024 10:55:46
BESCOM - C7 Regular Counter HRT
9883811776
AEE BBMP
Rs19,100.00
Draft
073737
BANK OF BARODA
Deposits
Fifteen Thousand and One Hundred Rupees Only
THANK YOU

e Electricity Supply Company Limited

RSA/8207666395/24-05-2024

29AACCB1412G1Z5

Office of
Assistant Executive Engineer
C7 YALAHANKA
BESCOM
DATE: 24-05-2024

To,
AEE BBMP,
KEB LAYOUT HAROHALLI RAJANKUNTE YELAHANKA
BANGALORE KARNATAKA
560064

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: **1) Application No:672307841060 Dated: 07-05-2024**
2) Account ID : 9883811776
3) Prevailing KERC regulations.

With reference to your Application No. **672307841060 Dated: 07-05-2024**, power supply to an extent of **0 KW** and **15 HP** on Account ID **9883811776** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	1
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	100
5	**Total Plinth Area in sq.m.**	100

b. Total height of the building above ground level in m: **3.3**

2. The **PROPOSED** Sanctioned Load of your building is **11.19 KW**

Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	0 KW and 15 HP
3	Total Load	11.19 KW

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) C7 YALAHANKA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount	CGST	SGST	Total Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **15 HP**) installation	₹19100.00	₹0.00	₹0.00	₹19100.00
2.	MSD Amount	₹0.00	₹0.00	₹0.00	₹0.00
3.	Infrastructure Charges	₹0.00	₹0.00	₹0.00	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00	₹0.00	₹0.00	₹0.00
5.	Additional Development /Service Line Charges	₹0.00	₹0.00	₹0.00	₹0.00
Total					₹19100.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 440V
4. The Power Tariff applicable to your proposed installation will be **1LT6A** Tariff, or as in force from time to time
5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

   a) Single Phase Meters _____Nos.

Account ID : 9883811776
Consumer Name : AEE BBMP

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installatio in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authorit required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to 0 KVA of the TC located at

c) After erecting new 0 KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical cle of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mo distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's prem preferably at the main entrance, for installing structure mounted distribution transformer and switchg

8. **BESCOM** approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisio under KERC Regulations 4.03 and 4.04 shall be complied

9. **BESCOM** reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documen submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance.

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C7 YALAHANKA

BESCOM

Account ID : 9883811776

Consumer Name : AEE BBMP

Original for Recipient White
Duplicate for Transporter Pink
Triplicate for Supplier Yellow

TAX INVOICE

HPL Electric & Power Ltd.

Bangalore Office : No. 2 D, IInd Floor, Farah Winsford
No. 133, Infantry Road, Bangalore - 560 001.
Ph.: 22863068, 22863069
E-mail : bangalore@hplindia.com

Branch Office :
C/o Executive Engineer,
O&M Division, Hebbal,
Bangalore – 560064

15533

Bill No. HBL/

Name : AEE BNG.
Address: KEB Dn.
Harohalli

BRJN	Hebbal
DATE:	03/06/24
TIN :	29190593887
CIN NO. :	
GST No.:	29AAACH0165J1ZM

Sl. No.	Description	Quantity	Unit Price in Rs.	Value Amount Rs.	Ps.
	3ph 8649546	01	2055.-	2055.	-
	Name of Company BESCOM Dvn: C.7 W.O. No. F 16065 Date: 31/05/24		S. GST @ 9%	185.	-
			C. GST @ 9%	185.	-
			GRAND TOTAL	2430.	-

E.&O.E.

For HPL Electric & Power Ltd.

Authorised Signatory

Corporate Office :
1/21, Asaf Ali Road, New Delhi - 110 002, Ph : + 91 - 011 23234411 23236811, 23234811
Fax : 91-011-23232639 E-mail : hpl@hplindia.com, Website : www.hplindia.com

...NWPD9510K1ZB, Email: civilaimconsultants@gmail.com